



User Manual


Thank you for choosing the UP Play. The UP Play is an LDAC Bluetooth Transmitter with "K2 Technology".

Unlock the full potential of Bluetooth audio with the UP Play. Ultra-compact and portable, it fits seamlessly and discreetly with mobile and desktop devices. Use the built-in mic to take calls or chat in-game, lose yourself in natural-sounding audio enhanced by "K2 Technology", and connect a second pair of headphones to share the moment.

With a full suite of codecs including LDAC for high-resolution music, and a dedicated low-latency mode for lag-free gaming and TV audio, the UP Play is your all-in-one solution for wireless listening.

FEATURES:

- Upgrade your device with LDAC-quality Bluetooth audio
- Works instantly with iOS, Android, Windows, Mac, PS5, Switch 2 and more
- JVCKENWOOD's "K2 Technology" restores detail and depth
- Dual headphone pairing lets two people listen at once
- Built-in microphone for game chat or calls on the go
- Switch between codecs easily with built-in physical button
- Adaptive bit-rate control balances audio quality and stability



Contents


1. USB-C Connector
2. 'A'/'B' Device Selector / Bluetooth Device 'A' Pairing
3. Device 'A' Connection Status LED
4. Device 'B' Connection Status LED
5. Bluetooth Pairing Status / Codec LED
6. Bluetooth Codec Selector / Bluetooth Device 'B' Pairing
7. Built-In Microphone

Fully Control your UP Play with the iFi Nexus App

Cautions

Prolonged Heat Exposure

SPECIFICATIONS:



1. USB-C Connector

Plug the device into your computer, laptop, tablet, or phone's USB port to supply both power and audio.

2. 'A'/'B' Device Selector / Bluetooth Device 'A' Pairing

I) 'A'/'B' Device Selector (Short press $\leq 1s$)

Choose which device to pair first before beginning dual pairing.

Tip: To pair two Bluetooth devices (Device 'A' and Device 'B'), start by pairing Device 'A' (the first device), then proceed to pair Device 'B' (the second device).

Once two devices are paired, short press ($\leq 1s$) to cycle between the following connection modes:

A+B > A > B

When switching modes, the LED for the selected device will blink three times.

Tip: When connected to two Bluetooth devices (A+B mode), only the SBC codec is supported. Bluetooth codec switching is not available in this mode.

II) Bluetooth Device 'A' Pairing (Long press ≥3s)

Initiates Bluetooth pairing with Device 'A'.

3. Device 'A' Connection Status LED

This LED shows whether Bluetooth Device 'A' is connected to the UP Play.

LED	Status
ON	Connected
OFF	Not Connected

4. Device 'B' Connection Status LED

This LED shows whether Bluetooth Device 'B' is connected to the UP Play.

LED	Status
ON	Connected
OFF	Not Connected

5. Bluetooth Pairing Status / Codec LED

I) Bluetooth Pairing Status LED

While awaiting a Bluetooth connection, the LED colour shows the current Bluetooth pairing status:

LED	Status
Red/Blue (flashing)	Pairing Mode
Blue (flashing)	Awaiting Automatic Connection

II) Bluetooth Codec Format LED

While a Bluetooth device is connected, the LED colour shows the current Bluetooth codec format:

LED	Format
Off	SBC
Yellow	AAC
Blue	aptX
Magenta	aptX HD
Green	aptX Adaptive
Cyan	LDAC
Red	aptX Low Latency

6. Bluetooth Codec Selector / Bluetooth Device 'B' Pairing

I) Bluetooth Codec Selector (Short press $\leq 1s$)

Short press to cycle between the available Bluetooth Codecs:

LDAC > aptX Adaptive > aptX HD > aptX > aptX Low Latency > AAC
> SBC

II) Bluetooth Device 'B' Pairing (Long press $\geq 3s$)

Initiates Bluetooth pairing with Device 'B'.

7. Built-In Microphone

Built-in microphone for hands-free calling.

Tip: For the latest firmware updates, please use the iFi Nexis app.



"iFi Nexis"



Download the Nexis app for added features and future updates

Fully Control your UP Play with the iFi Nexis App

Open the iFi Nexis app and search for "UP Play" to connect.

The Nexis app lets you access all UP Play features and settings, including:

- Firmware version information
- Bluetooth codec options
- OTA (Over-the-Air) firmware updates
- *and more!*

**OTA (Over-the-Air) technology enables firmware updates directly over the network.*

Cautions

1. Avoid extreme heat, cold and humidity.
2. Avoid dropping or crushing the UP Play.

Prolonged Heat Exposure

During normal use, your UP Play may feel warm to the touch - this is completely normal and nothing to worry about.

SPECIFICATIONS:

Bluetooth Version	Bluetooth 5.2
Bluetooth Chipset	Qualcomm QCC 5144
Maximum Distance	≥10m
Inputs	USB-C

Output	LDAC™, aptX Adaptive, aptX Low Latency, aptX HD, aptX, AAC, SBC
Maximum Supported Sampling Rate	96kHz/24Bit
Frequency Response:	20Hz-43kHz (LDAC)
Power System:	5V/≥0.5A
Dimensions:	27.6 x 20.8 x 8mm (1.1 x 0.8 x 0.3")
Net Weight:	3.0 g (0.1 oz)
Limited Warranty:	12 months*

**12 months typical or as permitted/required by local reseller laws.*

***Specifications are subject to change without notice.*

Qualcomm aptX and Snapdragon Sound are products of Qualcomm Technologies, Inc. and/or its subsidiaries.

Qualcomm, Snapdragon and Snapdragon Sound are trademarks or registered trademarks of Qualcomm Incorporated.

aptX is a trademark of Qualcomm Technologies International, Ltd.

LDAC and the LDAC Logo are trademarks of the Sony Corporation.

"K2 TECHNOLOGY" is a trademark or registered trademark of JVCKENWOOD Corporation.